

**MATERIAL SAFETY DATA SHEET**



**OUT THE DOOR ACRYLIC MONOMER**

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

**PRODUCT NAME:** OTD ACRYLIC MONOMER  
**CHEMICAL NAME:** N/A  
**CHEMICAL FAMILY:** MONOMER  
**PRODUCT USE:** NAIL LIQUID  
**EMERGENCY PHONE:** Info-Trac 1-352-323-3500  
**MANUFACTURER:** International Nail Manufacturers (inm)  
**DIVISION:** Nail Cartel, Inc.  
**ADDRESS:** 1221 N. Lakeview Ave.  
**PHONE:** 714-779-9892  
**FAX:** 714-779-9971  
**MSDS DATE:** 4/07/2010  
**PREPARED BY:** Garret Kellenberger-Production Manager

**SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Ethyl Methacrylate	97-63-2	202-597-5	Ethyl Methacrylate	N/E	N/E	Not Listed	60-65
Tetraethylene glycol dimethacrylate	109-17-1	203-653-1	PEG-4 Dimethacrylate	N/E	N/E	Not Listed	10-15
Ethylene Glycol Dimethacrylate esters	97-90-5	202-617-2	Glycol HEMA-Methacrylate	N/E	N/E	Not Listed	10-15
2-hydroxyethyl methacrylate	868-77-9	212-782-2	HEMA	N/E	N/E	Not Listed	5-10
N,N-Dimethyl-p-toluidine	99-97-8	202-805-4	Dimethyltolylamine	N/E	N/E	Not Listed	0-1
D & C Violet #2	81-48-1	201-353-5	CI60725	N/E	N/E	Not Listed	0-1
N/E-None Established		N/R-Not Reviewed		N/DA-No Data Available		N/A-Not Applicable	

**SECTION 3: HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

This information is based on finding from related or similar materials.

- May cause eye irritation
- May cause skin irritation
- Avoid prolonged or repeated breathing of gases, vapors or mists.
- Please read entire MSDS for additional information

**Potential Health Effects, Signs and Symptoms of Exposure:**

**Primary Route of Entry:** Inhalation, Skin, and Eyes  
**Eyes:** Vapor concentrations may cause irritation of eyes. Liquid contact with eyes can cause irritation and possible Corneal damage.  
**Skin:** Liquid concentration may cause moderate skin irritation. Repeated or prolonged contact may cause allergic skin rashes, itching, and swelling which becomes evident on re-exposure to this product.  
**Ingestion:** Causes irritation, a burning sensation of the mouth, throat, and respiratory tract and abdominal pain.  
**Inhalation:** High vapor concentrations may irritate the respiratory system. Prolonged exposure can lead to headaches, nausea, drowsiness, and unconsciousness.  
**Sub-Chronic Effects:** Unlikely to present a cancer hazard in man.  
**NOTE:** Refer to Section 11, Toxicological Information for Details

**SECTION 4: FIRST AID MEASURES**

**First Aid for Eye:** Flush with water for 15 minutes, including under eyelids. Seek medical help if discomfort persists.  
**First Aid for Skin:** Wash thoroughly with soap and water. Remove contaminated clothing and wash before re-use. Seek medical attention if discomfort persists.

# MATERIAL SAFETY DATA SHEET



## OUT THE DOOR ACRYLIC MONOMER

**First Aid for Ingestion:** Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek prompt medical attention.

**First Aid for Inhalation:** Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped give artificial respiration. Seek medical help if discomfort persists.

### SECTION 5: FIRE-FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol %)
TAG Closed 113°F/45°C	N/DA	N/DA

<b>Method:</b>	
<b>Extinguishing Media:</b>	Foam, Carbon dioxide, Dry Chemical or Carbon Tetrachloride.
<b>Fire Fighting Instructions:</b>	Wear self-contained breathing apparatus and full protective gear. Water may be ineffective unless used as a fine spray or fog. Use water spray to cool the exposed containers of methacrylate monomer.
<b>Unusual Hazards:</b>	Vapors may travel to source of ignition and flash back. Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Spill or Release Procedures:** Eliminate all sources of heat and ignition. Use an absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

### SECTION 7: HANDLING AND STORAGE

**Handling:** Keep away from heat, sparks, flames and other sources of ignition. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Ground all metal containers even after the container is emptied because it may retain product residues. Wash thoroughly after handling.

**Storage:** Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with National Fire Protection Association recommendations. Maintain air space inside storage containers. Inhibitor requires air (oxygen) contact to function. Check inhibitor levels after 3 months and return to original level.

**Explosion Hazard:** Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

**Personal Protective Equipment General:** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

**Eye/Face Protection:** Wear safety glasses. Wear overall chemical splash goggles and face shield when possibility exists for eye and face contact due to splashing or spraying material.

**Skin Protection:** Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Neoprene and Nitrile rubber is better than PVC.

**Respiratory Protection:** A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators are limited. Wear a NIOSH/MSHA or European Standard EN 149 approved full face-piece airline respirator in the positive pressure mode with emergency escape provisions. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## MATERIAL SAFETY DATA SHEET



## OUT THE DOOR ACRYLIC MONOMER

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile
Clear, violet liquid	Sharp ester-like odor	N/A	(H20=1) : 0.95	Slightly more viscous than water	W/W % 99+

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure	Vapor Density	Evaporation Rate	Ignition	Solubility in Water
(20°C)	N/DA	N/DA	N/DA	(Air=1) :1	N/DA	N/DA	N/DA

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol %)
TAG Closed 113°F/45°C	N/DA	N/DA

## SECTION 10: STABILITY AND REACTIVITY

**Stability:** N/DA

**Incompatibility (Materials to Avoid):**

Stable Reducing oxidizing agents and UV Light.

**Hazardous Decomposition Products:** N/DA

**Hazardous Polymerization:** Oxides of carbon when burned may occur.

**Conditions to Avoid:** Temperatures above 60°F, oxidizing or reducing agents, peroxides and amines, storage in absence of inhibitor, and inadvertent addition of catalyst.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation-Skin	Irritation-Eye
Oral (Rat) LD50: 13300mg/kg	Dermal (Rabbit) LD50 : >9100mg/kg	(Rabbit) LD50: 3800 ppm	N/DA	N/DA

Since this product contains a very low concentration of active components, the primary toxicological information is from the monomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-Chronic Toxicity
N/DA	Test positive as a mutagen on laboratory animals	N/DA

## SECTION 12: ECOLOGICAL INFORMATION

## Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

## Chemical Fate Information

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of diking material and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be

**MATERIAL SAFETY DATA SHEET**



**OUT THE DOOR ACRYLIC MONOMER**

saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

<b>SECTION 14: TRANSPORT INFORMATION</b>	
<b>DOT (49 CFR 172)</b>	
<b>Proper Shipping Name:</b>	Flammable liquids, n.o.s. (ethyl methacrylate, tetraethylene glycol dimethacrylate), 3, UN1993, PGIII
<b>Identification #</b>	UN1993
<b>Marine Pollutant:</b>	No
<b>Special Provisions:</b>	T8, T31
<b>Emergency Response Guidebook (ERG) #</b>	128
<b>IATA (DRG)</b>	
<b>Proper Shipping Name:</b>	Flammable liquids, n.o.s. (ethyl methacrylate, tetraethylene glycol dimethacrylate), 3, UN1993, PGIII
<b>Class or Division:</b>	3
<b>UN or ID Number:</b>	UN1993
<b>Packaging Instructions:</b>	
<b>Emergency Response Guidance (ICAO) #:</b>	
<b>IMO (IMDG)</b>	
<b>Proper Shipping Name:</b>	Flammable liquids, n.o.s. (ethyl methacrylate, tetraethylene glycol dimethacrylate), 3, UN1993, PGIII
<b>Class or Division:</b>	3.3
<b>UN or ID Number</b>	UN1993
<b>Special Provisions &amp; Stowage/Segregation</b>	None
<b>Emergency Schedule (EmS) #:</b>	
<b>Other Information</b>	Flash Point = 45°C

<b>SECTION 15: REGULATORY INFORMATION</b>	
<b>US Federal Regulations</b>	
<b>Clean Air Act: HAP/ODS</b>	This product contains the following hazardous air pollutants (HAP's) as defined by the U.S. Clean Air Act: <ul style="list-style-type: none"> <li>NONE</li> </ul> This product does not contain any Class 1 or Class 2 ODS.
<b>Clean Water Act: Priority Pollutant</b>	This product contains the following Hazardous Substances as defined by the CWA: <ul style="list-style-type: none"> <li>NONE</li> </ul> This product does not contain any substances that are a Priority Pollutant or Toxic Pollutant under the CWA.
<b>FDA: Food Packaging Status</b>	This product has not been cleared by the FDA for use in food packaging and/or other applications as an indirect food additive.
<b>Occupational Safety and Health Act</b>	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. It's hazards are: <ul style="list-style-type: none"> <li>Immediate (acute) health hazard</li> <li>Fire Hazard</li> </ul>
<b>RCRA</b>	This product is considered to be a hazardous waste under RCRA (40 CFR 261) RCRA Code: <ul style="list-style-type: none"> <li>Ethyl Methacrylate, CAS #97-63-2, RCRA Code; U118</li> <li>Characteristic of Ignitability, RCRA Code: D001</li> </ul>
<b>SARA Title III: Section 302 (TPQ)</b>	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
<b>SARA Title III: Section 302 (RQ)</b>	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERLA" List). <ul style="list-style-type: none"> <li>Ethyl Methacrylate, CAS #97-63-2, RQ (Lbs):1000</li> </ul>
<b>SARA Title III: Section 311-312</b>	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>Immediate (acute) health hazard</li> <li>Fire hazard</li> </ul>
<b>SARA Title III: Section 313</b>	This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CRF Part 372: <ul style="list-style-type: none"> <li>NONE</li> </ul>
<b>TSCA Section 8 (b): Inventory:</b>	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.

**MATERIAL SAFETY DATA SHEET**



**OUT THE DOOR ACRYLIC MONOMER**

<b>TSCA Significant New Use Rule:</b>	None of the chemicals in this material have a SNUR under TSCA.
---------------------------------------	--

**State Regulations**

<b>CA Right-to-Know Law:</b>	NONE
<b>California No Significant Risk Rule:</b>	NONE
<b>MA Right-to-Know Law:</b>	Ethyl Methacrylate CAS #97-63-2
<b>NJ Right-to-Know Law:</b>	Ethyl Methacrylate CAS #97-63-2
<b>PA Right-to-Know Law:</b>	Ethyl Methacrylate CAS #97-63-2
<b>FL Right-to-Know Law:</b>	Ethyl Methacrylate CAS #97-63-2
<b>MN Right-to-Know Law:</b>	NONE


**SECTION 15: REGULATORY INFORMATION-cont.**

**International Regulations**

<b>CDSL: Canadian Inventory (on Canadian Transitional List)</b>	Ethyl methacrylate: DSL regulatory status: Included, WHMIS: B2 Flammable liquid D-2B: Toxic Tetraethylene glycol dimethacrylate: DSL regulatory status: Included, WHMIS: N/DA 2-Hydroxypropyl methacrylate: DSL regulatory status: Included, WHMIS: N/DA Ethylene glycol dimethacrylate: DSL regulatory status: Included, WHMIS: N/DA N,N-Dimethyl-p-toluidine: DSL regulatory status: Included, WHMIS: None
<b>EINECS: European Einventory</b>	<b>Out The Door Acrylic Monomer</b> <ul style="list-style-type: none"> <li>• Hazard Symbols: Xi, F: <i>Irritant, Flammable</i></li> <li>• Risk Phrases: R10: <i>flammable</i>, R20/22: <i>Harmful by inhalation and if swallowed</i>, R36/37/38: <i>Irritating to eyes, respiratory system, and skin</i>, R43: <i>May cause sensitization by skin contact</i>.</li> <li>• Safety Phrases: S7/9: <i>keep container tightly closed and in a well ventilated place</i>, S16: <i>keep away from sources of ignition-no smoking</i>, S29: <i>do not empty into drains</i>, S33: <i>take precautionary measures against static discharges</i>, S36/37/39: <i>wear suitable protective clothing, gloves, and eye/face protection</i>, S45: <i>In case of accident or if you feel unwell, seek medical advise immediately (show the label where possible)</i></li> </ul>

**SECTION 16: OTHER INFORMATION**

HMIS:



1	<b>Health</b>
2	<b>Flammability</b>
1	<b>Reactivity</b>

**DISCLAIMER:** The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.