



MATERIAL SAFETY DATA SHEET

SECTION I Chemical Product and Company Identification

Trade Name Appearing on Label: **KIWI-HEMP CUTICLE OIL** Chemical Family: Toiletries

Manufacturer/Distributor/Importers: **INM**
1221 N. Lakeview Ave.
Anaheim, CA 92807

Emergency Phone: (714)779-9892 Prepared By: **Tonja Byers**
Business Phone: (714)779-9892 Date prepared: **4/30/2013**

Poison Control Center - Info-Trac (800)535-5053
Poison Control Center - Info-Trac International: (352)323-3500

SECTION II Potentially Hazardous Ingredients

Chemical Identity	%	CAS Number	OSHA (PEL)	Exposure Limits in Air	
				ACGIH (TLV)	OSHA(STEL)
Mineral Oil	80-85%	8012-95-1	5mg/m3	5mg/m3	10mg/m3

SECTION III Hazard Identification

HMIS Rating Scale: 0 = Minimal 1 = Slight 2 = Moderate 4 = Severe

This Products Rating: Health: 0 Flammability: 1 Reactivity: 0

Material Appearance: Various Colors Oil, depends on reference

Primary Route of Entry: Inhalation _ Skin X Ingestion X

Ingredient(s) Listed as Cancer Causing Agents?:

NTP - no LARC Monographs - no OSHA - no

Target Organs Affected: none

Short Term Effect:

Inhalation: n/a

Eyes: may cause slight stinging if product gets into open eyes.

Skin: n/a

Signs and Symptoms of Over-Exposure: n/a

Medical Conditions Generally Aggravated by Exposure: n/a

SECTION IV

First Aid Measures

Eye Contact: Flush eyes with large amounts of warm water.

Skin Contact: Wash with soap and water.

Inhalation: n/a

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting or diarrhea. Do not induce vomiting. If spontaneous vomiting occurs place victims head below knees. See medical attention immediately.

SECTION V

Fire Fighting Measures

Flash Point: Open Cup:170°C(338°F) (Cleveland)

Flammable Limits in Air % n/a- LEL: n/a, UEL: n/a

Extinguishing Media: Water Spray _ Dry Chemical X
Carbon Dioxide X Foam _

Fire Fighting Procedure: Use NIOSH approved self-contained breathing apparatus and complete protective clothing.

SECTION VI

Accidental Release Measures

Spill and Leak Procedures: Collect with absorbent material and place into trash container.

SECTION VII

Handling and Storage

Handling: Keep container closed when not in use.

Storage: Store at room temperature. Keep container closed when not in use.Keep away from heat, sparks and/or open flames.

SECTION VIII

Exposure Controls and Personal Protection

This product is a skin cream oil and does not require Exposure controls.

SECTION IX

Physical and Chemical Properties

Water Solubility: Insoluble in cold water.

Appearance: Clear -Various colors

Physical Form: Oily liquid

%/Wt. Volatiles: 0 %

pH: n/a

Odor: Light floral fragrances

Specific Gravity: (H2O = 1): 0.857 kg/L @ 15°C (59°F) - 0.88

Viscosity: 12.2 cSt @ 40°C (104°F), 2.93 cSt @ 100°C (212°F)

Smoke Point: 210°C

Melting Point: n/a

Vapor Pressure (mm Hg): 1.0 mmHg @20°C (68°F)

Vapor Density: (Air =1): >1

Evaporation Rate: (H2O) - 1) n/a

SECTION X Stability and Reactivity

Chemical Stability: This product is stable under the recommended storage conditions.

Conditions to avoid: Avoid excess heat and open flame & strong oxidizing conditions. No storage in temperatures above 35°C

Contact with Materials to avoid: Avoid chlorine, fluorine and other strong oxidizers

Hazardous Decomposition Products: May release COx, smoke and irritating vapors when heated to decompositoin.

Hazardous Polymerization: will not occur.

SECTION XI Toxicological Information

	LD50(Oral Rat)	LC50 (Inhal. Rat)	LD50(Dermal Rabbit)
Mineral Oil	>5000 mg/kg	<2500 mg/m3	>2000 mg/kg
Ingestion:	May cause gastrointestinal irritation, nausea, vomiting or diarrhea.		
Eyes:	Minimal eye ittitation may result from short-term contact with liquid, mist and/or vapor.		
Dermal:	n/a		
Inhalation	n/a		
Overexposure:	n/a		
Chronic Effects:	n/a		
Carcinogenity:	Not listed as a carcinogen by IARC, NTP, OSHA, or ACGIH		
Target Organs:	n/a		

SECTION XII Ecological Information

Ecotoxicity NE

SECTION XIII Disposal Considerations

Waste Disposal: Dispose of absorbed material in accordance with local, state and federal regulations.

SECTION XIV Transport Information

Road Transport:		Maritime Transport:	
Class:	n/a	UN Number:	n/a
Packaging Group:	n/a	Class:	n/a
Label:	n/a	Packaging Group:	n/a
UN Number:	n/a	Label:	n/a
Air Transport:			
ID No.	n/a		
Class:	n/a		
Packaging Group:	n/a		
Packaging instr.:	n/a		

SECTION XV	Regulatory Information
Labeling:	n/a
Symbol:	n/a
Indication of Danger:	n/a
Risk Phrases:	n/a
Safety Phrases:	n/a
SECTION XVI	Other Information

IMPORTANT NOTICE: The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warrant or representation, express or implied, is made as to the accuracy or suitability of this information for application to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. If you have any questions regarding the proper interoperation of this sheet or the meaning of any terms used, we strongly urge you to speak with your physician. For further information concerning product safety and proper use, call the number listed on the front of the MSDS.

*These Products Are Designed and Formulated for Professional Salon Use.
They Must be Used with Adequate Ventilation and in Accordance with Manufacturers Instructions.*

Abbreviations Used:

- | | |
|--|--|
| <p>NE = Not Established
 NKn = Not Known
 n/a = Not Applicable
 C = Ceiling Limit
 TS = Trade Secret
 EST = Estimated
 N/DA = No Data Available
 NTP = National Toxicology Program
 IRAC = International Agency for Research on Cancer
 INFO-TRAC = Chemical Transportation Emergency Center
 OSHA = Occupational Safety and Health Administration</p> | <p>IPA = Isopropyl Alcohol (Rubbing Alcohol)
 mm Hg = Millimeters of Mercury
 PEL = Permissible Exposure Limit
 TLV = Threshold Limit Value
 STEL = Short Term Exposure Limit
 NEGL = Negligible
 NF = None Found
 CAS = Chemical Abstract Service Number
 NR = Not Required</p> |
|--|--|