

## MATERIAL SAFETY DATA SHEET



## NOP ACRYLIC MONOMER

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** NOP Acrylic Monomer  
**CHEMICAL NAME:** N/A  
**CHEMICAL FAMILY:** Monomers  
**PRODUCT USE:** Nail Liquid  
**EMERGENCY PHONE:** Info-Trac 1-352-323-3500/1-800-535-5053  
**MSDS DATE:** 7-15-18

**MANUFACTURER:** International Nail Manufacturers (inm)  
**DIVISION:** Nail Cartel, Inc.  
**ADDRESS:** 1221 N. Lakeview Ave.  
**PHONE:** 714-779-9892  
**FAX:** 714-779-9971  
**PREPARED BY:** Tonja Byers

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Polyethylene glycol monomethacrylate	25736-86-1	N/DA	N/DA	N/e	N/E	Not Listed	60-70
2-hydroxyethyl methacrylate	868-77-9	212-782-2	HEMA	N/E	N/E	Not Listed	10-20
Triethylene Glycol Dimethacrylate Esters	109-16-0	203-652-6	Triethyleneglycol Dimethacrylate	N/E	N/E	Not Listed	10-20
N,N-Dimethyl-p-toluidine	99-97-8	202-805-4	Dimethyltolylamine	N/E	N/E	Not Listed	0-5
D&C Blue #1	3844-45-9	N/E	CI 42090	N/E	N/E	Not Listed	0-1
N/E-None Established N/R-Not Reviewed	N/DA-No Data Available N/A-Not Applicable						

**Hazard Symbols:** Xi **Risk Phrases:** R36/37/38, R43 **Safety Phrases:** S26, S28A, S45

## SECTION 3: HAZARDS IDENTIFICATION

## EMERGENCY OVERVIEW

This information is based on finding from related or similar materials.

- May cause allergic skin reaction.
- Material may be slightly combustible.
- May cause eye irritation.
- May cause respiratory tract irritation.
- Please read entire MSDS for additional information.

## Potential Health Effects, Signs and Symptoms of Exposure:

**Primary Route of Entry:** Inhalation, skin, eyes.  
**Eyes:** Vapor concentrations may cause irritation of eyes. Liquid contact with eyes can cause irritation and possible corneal damage.  
**Skin:** Liquid concentration may cause moderate skin irritation. Repeated or prolonged contact may cause allergic skin rashes, itching and swelling which becomes evident on re-exposure to this product.  
**Ingestion:** Causes irritation, a burning sensation of the mouth, throat, and respiratory tract and abdominal pain.  
**Inhalation:** High vapor concentrations may irritate the respiratory system. Prolonged exposure can lead to headaches, nausea, drowsiness, and unconsciousness.  
**Sub-Chronic Effects:** Unlikely to present a cancer hazard in man.  
**NOTE:** Refer to Section 11, Toxicological Information for Details.

## SECTION 4: FIRST AID MEASURES

**First Aid for Eye:** Flush with plenty of water for 15 minutes, including under eyelids. Seek medical help if discomfort persists.  
**First Aid for Skin:** Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. Get medical help if discomfort persists.  
**First Aid for Ingestion:** Rinse mouth out with water. Only induce vomiting if directed by a physician. Never give anything by mouth to an unconscious person. Seek prompt medical attention.  
**First Aid for Inhalation:** Remove to fresh air. If having breathing difficulty, give oxygen. If breathing has stopped, give artificial respiration. Get medical help if discomfort persists.

## MATERIAL SAFETY DATA SHEET



## NOP ACRYLIC MONOMER

## SECTION 5: FIRE-FIGHTING MEASURES

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol %)
TAG Closed 200°F/93°C	LEL : N/DA; UEL : N/DA	N/DA

**Method:**

**Extinguishing Media:** Use CO<sub>2</sub>, dry chemical for small fires, or alcohol type aqueous film forming foam.

**Fire Fighting Instructions:** Wear self-contained breathing apparatus and full protective gear. Water may be ineffective unless used as a fine spray or fog. Use water spray to cool the exposed containers of monomer.

**Unusual Hazards:** Vapors may travel to source of ignition and flash back. Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Spill or Release Procedures:** Eliminate all sources of heat and ignition. Use an absorbent material for spills and dike it, wash spill material into retaining containers. Place containers in a well ventilated area. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Use non-sparking tools and equipment. Collect liquid in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

## SECTION 7: HANDLING AND STORAGE

**Handling:** Keep away from heat, sparks, flames, and other sources of ignition. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Ground all metal containers when transferring and use explosion-proof equipment. Follow all MSDS/label precautions even after the container is emptied because it may retain product residues. Wash thoroughly after handling.

**Storage:** Store in a cool, dry area. Keep container closed when not in use. Store at ambient temperatures out of direct sunlight. Store in a well ventilated place. Store in accordance with National Fire Protection Association recommendations. Maintain air space inside storage containers. Inhibitor requires air (oxygen) contact to function. Check inhibitor levels after 3 months and return to original level.

**Explosion Hazard:** Avoid ignition sources or excessive temperatures. Heat can induce polymerization with rapid release of energy. Closed containers may rupture explosively. Spontaneous polymerization may occur with prolonged aging.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof ventilation equipment.

**Personal Protective Equipment**

**General:** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR 1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

**Eye/Face Protection:** Use impermeable clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

**Skin Protection:** Wear resistant gloves. To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

**Respiratory Protection:** A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Odor & Odor Threshold	pH	Specific Gravity	Viscosity	% Volatile
------------	-----------------------	----	------------------	-----------	------------

## MATERIAL SAFETY DATA SHEET



## NOP ACRYLIC MONOMER

Blue, semi-viscous liquid	Very slight, monomer odor	N/A	(H <sub>2</sub> O=1):	<1 mPas @ 20°C	W/W %:
---------------------------	---------------------------	-----	-----------------------	----------------	--------

Boiling Point/ Freezing Point	Decomposition Temperature	Octanol/Water Partitioning Coefficient Log Po/w	Vapor Pressure	Vapor Density	Evaporation Rate	Ignition	Solubility in Water
N/DA	N/A	N/DA	(mm Hg): 0.69 kPa @ 38°C	(Air = 1): N/DA	(Butyl Acetate=1): N/DA	N/A	g/100g @ 20°C

Flash Point (°F/°C)	Flammable Limit (vol %)	Auto-ignition Temperature (vol %)
TAG Closed: 200°F/93°C	LEL : N/DA; UEL : N/DA	N/DA

## SECTION 10: STABILITY AND REACTIVITY

**Stability:** Stable

**Hazardous Decomposition Products:** Oxides of carbon when burned.

**Incompatibility (Materials to Avoid):** Reducing and oxidizing agents and UV light.

**Conditions to Avoid:** Temperatures above 60°F, oxidizing or reducing agents, peroxides, and amines, storage in absence of inhibitor, and inadvertent addition of catalyst.

**Hazardous Polymerization:** May occur

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation-Skin	Irritation-Eye
No information available	No information available	No information available	No information available	No information available

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the dimethacrylated monomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization	Mutagenicity	Sub-Chronic Toxicity
No information available	No information available	No information available

## SECTION 12: ECOLOGICAL INFORMATION

## Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
No information available	No information available	No information available	No information available	No information available

## Chemical Fate Information

<b>Biodegradability</b>	No information available
<b>Chemical Oxygen Demand</b>	No information available

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of diking material and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate. Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

## SECTION 14: TRANSPORT INFORMATION

## MATERIAL SAFETY DATA SHEET



## NOP ACRYLIC MONOMER

<b>DOT (49 CFR 172)</b>	
<b>Proper Shipping Name:</b>	Non-Regulated Material
<b>Identification #</b>	N/A
<b>Marine Pollutant:</b>	No
<b>Special Provisions:</b>	None
<b>Emergency Response Guidebook (ERG) #</b>	<b>N/A</b>
<b>IATA (DRG)</b>	
<b>Proper Shipping Name:</b>	Non-Regulated Material
<b>Class or Division:</b>	N/A
<b>UN or ID Number:</b>	N/A
<b>Packaging Instructions:</b>	None
<b>Emergency Response Guidance (ICAO) #:</b>	<b>N/A</b>
<b>IMO (IMDG)</b>	
<b>Proper Shipping Name:</b>	Non-Regulated Material
<b>Class or Division:</b>	N/A
<b>UN or ID Number</b>	N/A
<b>Special Provisions &amp; Stowage/Segregation</b>	None
<b>Emergency Schedule (EmS) #:</b>	<b>N/A</b>
<b>Other Information</b>	<b>Flash Point=93°C</b>

## SECTION 15: REGULATORY INFORMATION

## US Federal Regulations

Clean Air Act: HAP/ODS	This product contains no hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:
Clean Water Act: Priority Pollutant	This product contains no Hazardous Substances as defined by the CWA:
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as in indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard. It's hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard.</li> </ul>
RCRA	This product is considered not to be hazardous waste under RCRA (40CFR 261):
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substance that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List)
SARA Title III: Section 311-312	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> </ul>
SARA Title III: Section 313	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: <ul style="list-style-type: none"> <li>• NONE</li> </ul>
TSCA Section 8 (b): Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemical in this material have a SNUR under TSCA.

## SECTION 15: REGULATORY INFORMATION-cont.

## State Regulations

<b>CA Right-to-Know Law:</b>	NONE
<b>California No Significant Risk Rule:</b>	NONE
<b>MA Right-to-Know Law:</b>	NONE
<b>NJ Right-to-Know Law:</b>	NONE
<b>PA Right-to-Know Law:</b>	NONE
<b>FL Right-to-Know Law:</b>	NONE
<b>MN Right-to-Know Law:</b>	NONE



## International Regulations

<b>CDSL: Canadian Inventory (on Canadian Transitional</b>	N,N-dimethyl-p-toluidine DLS regulatory status: Included, WHMIS: n/da Triethylene glycol dimethacrylate DSL regulatory status: Included, WHMIS: n/da
---	---

**MATERIAL SAFETY DATA SHEET**





**NOP ACRYLIC MONOMER**

<p><b>List</b></p>	<p>Hydroxyethyl methacrylate DSL regulatory status: Included, WHMIS: D2A</p>
<p><b>EINECS: European Inventory</b></p>  	<p><b>NOP Acrylic Monomer:</b></p> <ul style="list-style-type: none"> <li>• HAZARD SYMBOLS: <b>Xi</b></li> <li>• RISK PHRASES: <b>R36/37/38</b> <i>Irritating to eyes, respiratory system and skin.</i> <b>R43:</b> <i>May cause sensitization by skin contact.</i></li> <li>• SAFETY PHRASES: <b>S26:</b> <i>in case of contact with eyes, rinse immediately,</i> <b>S28A:</b> <i>after contact with skin, wash immediately with plenty of water.</i> <b>S45:</b> <i>in case of accident, or if you feel unwell, seek medical advise immediately (show the label where possible).</i></li> <li>• Refer to special instruction/Safety data sheets.</li> </ul>

**SECTION 16: OTHER INFORMATION**

HMIS:



**DISCLAIMER:** The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.