# **MATERIAL SAFETY DATA SHEET**



NEW ZEALAND IMPORTER & SUPPLIER NAILX BEAUTY SUPPLIES

ADDRESS 5/201 OPAWA ROAD

HILLSBOROUGH CHRISTCHURCH

CONTACT – MANAGING DIRECTOR EMERGENCY PHONE: KAREN CLARK 021 286 4077

NAME OF PRODUCT INM POLISH THINNER MSDS DATE: 08/13/2019

**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION** 

PRODUCT NAME: Polish Thinner

PRODUCT CODES: INMPT

MANUFACTURER: International Nail Manufacturers (inm)

Division of Nail Cartel, Inc. ADDRESS: 1221 N. Lakeview Ave.

Anaheim, CA 92807

EMERGENCY PHONE: INFOTRAK: 1-800-535-5053

OTHER CALLS: 1-800-541-9838 FAX PHONE: 1-714-779-9971

COMMON NAME: Organic Solvent Mixture

PREPARED BY: Steven Tate, Production Manager

1-714-779-9892

**SECTION 2: HAZARDOUS INGREDIENTS** 

CHEMICAL NAME CAS NUMBERS % EXPOSURE LIMITS IN AIR OTHER

ACGIH (TLV) OSHA (PEL)

PRIMARY AMYL ACETATE 628-63-7 NOT 100 ppm 100ppm N/A

REQUIRED

ACETONE 67-64-1 750 ppm 1000ppm

**SECTION 3: PHYSICAL PROPERTIES** 

VAPOR DENSITY (air = 1): 2 MELTING POINT, deg. F: N/A

SPECIFIC GRAVITY: 0.8 BOILING POINT, deg. F: 133-295

SOLUBILITY IN WATER: Appreciable APPEARANCE AND ODOR; CLEAR LIQUID, SOLVENT ODOR

VAPOR PRESSURE (mmGh at 20 deg. C):N/A

EVAPORATION RATE (n-butyl acetate = 1): N/A

**SECTION 4: FIRE AND EXPLOSION** 

FLASH POINT, DEG. F: 25 DEG. F

**AUTOIGNITION TEMPERATURE, DEG. F: N/A** 

## MATERIAL SAFETY DATA SHEET



NAME OF PRODUCT INM POLISH THINNER

FLAMMALBE LIMITS IN AIR, VOLUME %: LOWER 2.6% UPPER: 12.8%

FIRE FIGHTING PROCEDURES: Use water spray, foam, carbon dioxide, dry chemical. Water may be ineffective, but wate should be used to keep fire-exposed containers cool. If a leak or spill has not ignited, use water spray to disperse the vapors and to protect men attempting to stop a leak. Water spray may be used to flush spills away from exposures and to dilute spills to nonflammalbe mixtures.

MSDS DATE: 08/13/2019

Unusual Fire & Explosion Hazards: N/A

### **SECTION 5: HEALTH HAZARD INFORMATION**

INHALATION: May cause headache, drwsiness, inability to concentrate, irritation of throat.

CONTACT WITH SKIN OR EYES: Liquid or vapor may cause irritation.

ABSORBED THROUGH SKIN: Slight absorption

INGESTION: Can cause depression of central nervous system, nausea, vomiting and diarrhea.

HEALTH EFFECTS OR RISKS FROM EXPOSURE: Acute-Respiratory tract irritation, drowsiness, headache, loss of concentration Chronic: Same as for acute.

SWALLOWING: If victim is conscious and able to swallow, have victim drink water or milk to dilute. Never give anything By mouth if victim is unconscious or having convulsions. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. Induce vomiting only if advised by physician or Poison Control Center.

#### SUSPECTED CANCER AGENT

X No: This product's ingredients are not found in the lists below.

Yes: Federal OSHA NTP IARC CAL/OSHA

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Asthma and other respiratory conditions.

### SECTION 6: REACTIVITY

STABILITY: Generally stable

**HAZARDOUS POLYMERIZATION: Not likely** 

CONITIONS & MATERIALS TO AVOID: Contact with acetyl chloride and a wide range of oxidizing agents may react violently.

HAZARDOUS DECOMPOSTION PRODUCTS: Carbon monoxide can form on incomplete combustion.

#### SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

SPILL RESPONSE PROCEDURES: Flush with water. Avoid inhalation of vapor.

Preparing wastes for disposal (ccontainer types, neutralization, etc.): N/A

NOTE: Dispose of all wates in accordance with federal, state and local regulations.

## MATERIAL SAFETY DATA SHEET



NAME OF PRODUCT

## INM POLISH THINNER

MSDS DATE: 08/13/2019

**CONTROL MEASURES:** Handle in the presence of adequate ventilation.

RESPIRATORY PROTECTION: Use NIOSH approved respirators

EYE PROTECTION: (type): Safety glasses
GLOVES (Specify material): Rubber gloves

OTHER CLOTHING AND EQUIPMENT: Rubber gloves

WORK PRACTICES, HYGIENIC PRACTICES: Avoid inhalation of vapors and skin contact.

OTHER HADLING AND STORAGE REQUIREMENTS: Protect container against physical damage. Smoking should be prohibited in storage areas. When in use replace closure securely after each opening. Keep packaged material out of sun and away from heat. Keep closure up to prevent leakage. Containers are hazardous when empty. Since empty containers retain residual product (vapor or liquid), all precautions described on this MSDS must be observed.

PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: Emptied containers should be flushed thoroughly since residual vapor may remain behind.

### **SECTION 9: LABELING**

LABELING (precautionary statements): WARNING! FLAMMABLE! KEEP AWAY FROM HEAT, SPARKS, FLAME AND ALL OTHER IGNITION SOURCES. VAPOR MAY FLAMMABLE MIXTURES WITH AIR. MAY BE HARMFUL OR FATAL IF SWALLOWED. May irritate

body tissues. Use with adequate ventilation. Avoid breathing vapor. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling.

DEPARTMENT OF TRANSPORTATION: Classification: FLAMMABLE LIQUID (for 55-gallon) drums or one gallon containers).
PROPER SHIPPING NAME: FLAMMABLE LIQUID N.O.S. UN OR NA NUMBER: UN1993

INFORMATION FOR BILL OF LADING & LABELING: FLAMMABLE LIQUID N.O.S., (ACETONE, PRIMARY AMYL ACETATE), 3, UN1993. PG II

INFORMATION FOR OTHER CONTAINER SIZES: Quarts, Pints, 4 oz, 1oz; POLISH THINNER, ORM-D (These sizes come under The label of ORM-D which is a Consumer Commodity, therefore there is no other labeling requirements.

### SECTION 10: DISCLAIMER

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by INM to be accurate. As with all chemicals, KEEP AWAY FROM CHILDREN AND ANIMALS. FOR TOPICAL USE ONLY.